



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/599,157	09/21/2006	Zoo Il Yang	P2984US00	5108

58027 7590 05/24/2012  
H.C. PARK & ASSOCIATES, PLC  
8500 LEESBURG PIKE  
SUITE 7500  
VIENNA, VA 22182

EXAMINER
----------

VU, BAI D

ART UNIT	PAPER NUMBER
----------	--------------

2165

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

05/24/2012

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PATENT@PARK-LAW.COM

## Office Action Summary

Application No.

10/599,157

Applicant(s)

YANG, ZOO IL

Examiner

Bai D. Vu

Art Unit

2165

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07 March 2012.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on \_\_\_\_; the restriction requirement and election have been incorporated into this action.
- 4) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 5) ☒ Claim(s) 1-3,7-12,14-17 and 19-24 is/are pending in the application.
- 5a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 6) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 7) ☒ Claim(s) 1-3,7-12,14-17 and 19-24 is/are rejected.
- 8) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 9) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 10) ☐ The specification is objected to by the Examiner.
- 11) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 12) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)                        | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____.  |

## DETAILED ACTION

### ***Response to Amendment***

1. Applicant has amended claims 1, 2, 7, 9, 11, 15, 16, 19 and 21-23; and canceled claim 6 in the amendment filed on 3/7/2012. Claims 1-3, 7-12, 14-17 and 19-24 are currently pending in the application.

### ***Response to Arguments***

2. Applicant's arguments filed on 3/7/2012 with respect to claims 1-3, 7-12, 14-17 and 19-24 have been fully considered but are moot in view of the new ground(s) of the rejection.

### ***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. **Claims 1, 11, 16, 21 and 22** are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement.

The amended phrase "*in response to selection of the link provided in a second section of the webpage, providing the game program on a web browser page of the community, the game program being loaded on the web browser page without a separate installation process and executed on the web browser page*" recited in the

Art Unit: 2165

claims contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant has indicated that support for the amended phrase may be found at least in Figure 9 and ¶¶ 0017, 0050 and 0054 of the specification; however, no connection is found to support the amended phrase, especially the feature of *“the game program being loaded on the web browser page without a separate installation process and executed on the web browser page”* according to the ¶ 0017 in the specification. Clarification is requested.

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained through the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claims 1-3, 7-12, 14, 16, 19-20 and 23-24** are rejected under 35 U.S.C. 103(a) as being unpatentable over Harvey et al. (US No. 2002/0059379 A1), and further in view of James (US No. 2003/0212862 A1).

As per **claim 1**, Harvey et al. discloses **a method for processing data in a community established on a website, the method comprising:**

**receiving a signal from a community visitor who accesses the community and selects a link provided on a webpage of the community, wherein the link**

**connects the community visitor to a link program** as (see e.g., ¶ 0127 lines 18-28, ¶ 0128 lines 1-10 ¶ 0136 lines 1-5; and Figs. 7 and 8A-2; as user clicks a link (e.g., an application of executable file for the application referred as the link program) to participate in a game play community) **linked from the website that provides the community visitor with a community user interface**, as (see e.g., ¶ 0122 lines 1-12; as a central controller 115 functions as game server that stores game applications in a data storage 160, provides a link application module 130 to assist user (i.e., using a graphical user interface as described in Fig. 4) setting link with game applications stored the data storage 160 (i.e., as described in ¶ 0040 lines 3-5 and ¶ 0057; as links to the central controller 115 as game server and the World Wide Web pages (e.g., websites)); and ¶ 0136 lines 1-12; and Fig. 4; as a user interface for users in a community to select hyperlinks to games or download games from website) **the link program being a game program stored in a contents server of the website to which the community belongs or a game program stored in other websites**, as (see e.g., ¶ 0039 lines 1-4, ¶ 0040 lines 3-5, and Fig. 1; as a combination of the link application module 130 used for setting links to the game applications in the data storage 160 of the central controller 115 as the game server) **and the community interface being provided in a first section of the webpage** as (see e.g., Fig. 4).

**confirming whether the community visitor executes or terminates the link program and**, as (see e.g., ¶¶ 0133 - 0134; as terminate the link or process if an invitation application is invalid) **in response to selection of the link provided in a second section of the webpage, providing the game program on a web browser**

Art Unit: 2165

**page of the community**, as (see e.g., Fig. 4: as clicking on any link in the user interface 3000). However, Harvey et al. does not explicitly disclose the feature of **the game program being loaded on the web browser page without a separate installation process and executed on the web browser page**.

**obtaining results of the provided game program and updating the results;** as (see e.g., ¶¶ 0032 and 0082).

**receiving visitor-related data related to execution of the link program when the link program is terminated; and** as (see e.g., ¶¶ 0134 - 0135 and 0138 lines 7-13; as receive the verified and validated invitation information of user as being invalid and terminated; and scores of the game).

**processing and utilizing the visitor-related data in the community so as to present at least part of the processed visitor-related data on the community interface** as (see e.g., ¶¶ 0139 – 0140; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played); and (see e.g., ¶¶ 0110 and 0148, and Figs. 4-5; as the graphic user interface 3000).

However, James discloses the feature which is not explicitly disclosed by Harvey et al. as below:

**the game program being loaded on the web browser page without a separate installation process and executed on the web browser page;** as (see e.g., Abstract, and ¶ 0060: as the applications software package runs directly from the device without being uploaded or installed, wherein the applications software package is referred to as the game program or web-based game program running on the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to apply James teaching of stand-alone applications into Harvey et al. system in order to provide fully portable application functionality which may be tailored for use by a particular individual or for a particular task (James, ¶ 0001 lines 4-6).

As per **claim 2**, Harvey et al. as modified by James discloses **the method of claim 1, further comprising: storing the processed visitor-related data in the community** as (see e.g., ¶ 0126 lines 1-22 and ¶ 0140; as the virtual value is updated in the player's account which is set up as a member of a community, wherein updating the value referred as storing).

As per **claim 3**, Harvey et al. as modified by James discloses **the method of claim 1, wherein the community is at least one of a cafe, homepage, blog, mini-room, or mini-homepage, which are established in websites on the Internet** as (see e.g., ¶¶ 0136 and 0147; as community website of people with similar interests).

As per **claim 7**, Harvey et al. as modified by James discloses **the method of claim 1, wherein the visitor-related data comprise game or community use data** as (see e.g., ¶ 0139; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played).

As per **claim 8**, Harvey et al. as modified by James discloses **the method of claim 1, wherein the visitor-related data comprise at least one selected from a group consisting of item, level, score, and rank data obtained when the link program is executed and used** as (see e.g., ¶ 0139; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played).

As per **claim 9**, Harvey et al. as modified by James discloses **the method of claim 1, wherein the stored visitor-related data are updated on the webpage of the community whenever the community visitor executes and uses the link program** as (see e.g., ¶ 0140; as the amount of virtual value is updated in the player's account).

As per **claim 10**, Harvey et al. as modified by James discloses **the method of claim 1, wherein the community visitor acquires events for the execution of the link program** as (see e.g., ¶ 0057 lines 1-11; as link to events leading up to and occurring in the America's Cup.TM. sailing races).

As per **claim 11**, Harvey et al. discloses **a method for processing data in a community established on a website, comprising:**

**by a community visitor, accessing the community and selecting a link program** as (see e.g., ¶ 0127 lines 18-28, ¶ 0128 lines 1-10 ¶ 0136 lines 1-5; and Figs. 7 and 8A-2; as user clicks a link (e.g., an application of executable file for the



Art Unit: 2165

application referred as the link program) to participate in a game play community)

**linked from a webpage of the website that provides the community visitor with a community interface**, as (see e.g., ¶ 0122 lines 1-12; as a central controller 115

functions as game server that stores game applications in a data storage 160, provides

a link application module 130 to assist user (i.e., using a graphical user interface as

described in Fig. 4) setting link with game applications stored the data storage 160 (i.e.,

as described in ¶ 0040 lines 3-5 and ¶ 0057; as links to the central controller 115 as

game server and the World Wide Web pages (e.g., websites)); and ¶ 0136 lines 1-12;

and Fig. 4; as a user interface for users in a community to select hyperlinks to games or

download games from website) **the link program being a game program stored in a**

**contents server of the website to which the community belongs or a game**

**program stored in other websites**, as (see e.g., ¶ 0039 lines 1-4, ¶ 0040 lines 3-5,

and Fig. 1; as a combination of the link application module 130 used for setting links to

the game applications in the data storage 160 of the central controller 115 as the game

server).

**wherein the game program is loaded on a web browser page without a separate installation process and executed on the web browser page in response to selection of the link program linked from a first section of the webpage**, as (see e.g., Fig. 4: as clicking on any link in the user interface 3000); however, Harvey et al. does not explicitly disclose the feature of **wherein the game program is loaded on a web browser page without a separate installation process and executed on the web browser page**.

**and the community interface is provided in a second section of the webpage;** as (see e.g., Fig. 4).

**receiving visitor-related data related to execution of the link program;** as (see e.g., ¶¶ 0134 - 0135 and 0138 lines 7-13; as receive the verified and validated invitation information of user as being invalid and terminated; and scores of the game).

**processing and using the visitor-related data in the community so as to present at least part of the processed visitor-related data on the community interface; and** as (see e.g., ¶¶ 0139 – 0140; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played); and (see e.g., ¶¶ 0110 and 0148, and Figs. 4-5; as the graphic user interface 3000).

**storing the processed visitor-related data in the community** as (see e.g., ¶ 0126 lines 1-22 and ¶ 0140; as the virtual value is updated in the player's account which is set up as a member of a community, wherein updating the value referred as storing) **and obtaining results of the provided game program to update the results on the webpage;** as (see e.g., ¶¶ 0032 and 0082).

However, James discloses the feature which is not explicitly disclosed by Harvey et al. as below:

**wherein the game program is loaded on a web browser page without a separate installation process and executed on the web browser page,** as (see e.g., Abstract, and ¶ 0060: as the applications software package runs directly from the device without being uploaded or installed, wherein the applications software package is referred to as the game program or web-based game program running on the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to apply James teaching of stand-alone applications into Harvey et al. system in order to provide fully portable application functionality which may be tailored for use by a particular individual or for a particular task (James, ¶ 0001 lines 4-6).

As per **claim 12**, Harvey et al. as modified by James discloses **the method of claim 11, wherein the community is at least one of a cafe, homepage, blog, mini-room, or mini-homepage, which are established in websites on the Internet** as (see e.g., ¶¶ 0136 and 0147; as community website of people with similar interests).

As per **claim 14**, Harvey et al. as modified by James discloses **the method of claim 11, wherein the contents server causes the execution of the link program on the web browser of the community** as (see e.g., ¶ 0147 lines 1-5; as using browsers to access to a community with central controller 805).

As per **claim 16**, Harvey et al. discloses **a system for processing data in a community established on a website, comprising:**

**a connector to determine whether a community visitor is permitted to access the community;** as (see e.g., ¶ 0130 lines 1-12; as the user may or may not be permitted to proceed (e.g., or join a community)).

**a controller to allow the community visitor to access the community to select a link to a link program, linked from a webpage of the website that provides**

**the community visitor with a community interface being provide in a first section of the webpage**, as (see e.g., ¶ 0122 lines 1-12: as a central controller 115 functions as game server that stores game applications in a data storage 160, provides a link application module 130 to assist user (i.e., using a graphical user interface as described in Fig. 4) setting link with game applications stored the data storage 160 (i.e., as described in ¶ 0040 lines 3-5 and ¶ 0057; as links to the central controller 115 as game server and the World Wide Web pages (e.g., websites)); and ¶ 0136 lines 1-12; and Fig. 4; as a user interface for users in a community to select hyperlinks to games or download games from website) **the link program being a game program stored in a contents server of the website to which the community belongs or a game program stored in other websites**, as (see e.g., ¶ 0039 lines 1-4, ¶ 0040 lines 3-5, and Fig. 1; as a combination of the link application module 130 used for setting links to the game applications in the data storage 160 of the central controller 115 as the game server) **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page in response to selection of the link in a second section of the webpage**; as (see e.g., Fig. 4: as clicking on any link in the user interface 3000; however, Harvey et al. does not explicitly disclose the feature of **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page**) **the controller to receive visitor-related data from a component providing the link program**; as (see e.g., ¶ 0127 lines 18-28, ¶ 0128 lines 1-10, ¶ 0136 lines 1-5; and Figs. 7 and 8A-2; as

Art Unit: 2165

user clicks a link (e.g., an application of executable file for the application referred as the link program) to participate in a game play community); and (see e.g., ¶¶ 0134 - 0135 and 0138 lines 7-13; as receive the verified and validated invitation information of user as being invalid and terminated; and scores of the game) **and to obtain results of the provided game program and update the results;** as (see e.g., ¶¶ 0032 and 0082).

**a data processor to process the visitor-related data such that the visitor-related data are used in the community so as to present at least part of the processed visitor-related data on the community interface; and** as (see e.g., ¶ 0138 lines 7-13; as determining scores of the game played); (see e.g., ¶¶ 0139 – 0140; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played); and (see e.g., ¶¶ 0110 and 0148, and Figs. 4-5; as the graphic user interface 3000).

**a data storage to store the processed visitor-related data,** as (see e.g., ¶ 0126 lines 1-22 and ¶ 0140; and Fig. 1; as the virtual value is updated in the player's account which is set up as a member of a community in data storage 160, wherein updating the value referred as storing).

However, James discloses the limitation which is not explicitly disclosed by Harvey et al. as below:

**wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page,** as (see e.g., Abstract, and ¶ 0060: as the applications software

Art Unit: 2165

package runs directly from the device without being uploaded or installed, wherein the applications software package is referred to as the game program or web-based game program running on the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to apply James teaching of stand-alone applications into Harvey et al. system in order to provide fully portable application functionality which may be tailored for use by a particular individual or for a particular task (James, ¶ 0001 lines 4-6).

As per **claim 19**, Harvey et al. as modified by James discloses **the system of claim 16, wherein the contents server causes the execution of the link program on the web browser page of the community** as (see e.g., ¶ 0147 lines 1-5; as using browsers to access to a community with central controller 805).

As per **claim 20**, Harvey et al. as modified by James discloses **the system of claim 16, wherein the community is at least one of a cafe, homepage, blog, mini-room, or mini-homepage, which are established in websites on the Internet** as (see e.g., ¶¶ 0136 and 0147; as community website of people with similar interests).

As per **claim 23**, Harvey et al. does not explicitly disclose **the method of claim 11, wherein the link program is a game program that is played on the web browser page without being locally installed on the community visitor's terminal.**

However, James discloses as (see e.g., Abstract, and ¶ 0060: as the applications software package runs directly from the device without being uploaded or installed, wherein the applications software package is referred to as the game program or web-based game program running on the device.

It would have been obvious to one of ordinary skill in the art at the time of invention to apply James teaching of stand-alone applications into Harvey et al. system in order to provide fully portable application functionality which may be tailored for use by a particular individual or for a particular task (James, ¶ 0001 lines 4-6).

As per **claim 24**, Harvey et al. as modified by James discloses **the method of claim 23, wherein the visitor-related data comprise game or community use data** as (see e.g., ¶ 0139; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played).

7. **Claim 15** is rejected under 35 U.S.C. 103(a) as being unpatentable over Harvey et al., in view of James, and further in view of Evans et al. (US No. 2004/0192440 A1).

As per **claim 15**, Harvey et al. and James do not explicitly disclose **the method of claim 11, wherein the link program is a flash game that is played on the web browser page of the community**. However, Evans et al. discloses as (see e.g., ¶¶ 0106 and 0113 – 0120; and Figs. 15 and 17).

It would have been obvious to one of ordinary skill in the art at the time of invention to apply Evans et al. teaching of online community for game into Harvey et al. and James systems in order to provide a community webpage that is presented with available games and related information to a user and is able to launched multiplayer online games (Evans et al., ¶ 0008).

8. **Claim 17** is rejected under 35 U.S.C. 103(a) as being unpatentable over Harvey et al., in view of James, and further in view of Lambright et al. (US No. 6,015,348).

As per **claim 17**, Harvey et al. and James do not explicitly disclose **the system of claim 16, wherein the controller keeps a resource occupation ratio of a system operated by the community at an appropriate level such that the resource occupation ratio does not exceed a prescribed rate.**

However, Lambright discloses the claimed limitation as (see e.g., Abstract).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Harvey et al., James and Lambright et al. in order to maintain responsive game performance.

9. **Claims 21 and 22** are rejected under 35 U.S.C. 103(a) as being unpatentable over Harvey et al., in view of James, and further in view of Sparks, II (US No. 6,352,479 B1) (hereinafter "Sparks").



As per **claim 21**, Harvey et al. discloses **a method for processing game-linked data in a community established on a website, comprising:**

**by a community visitor, accessing the community and selecting a game program, of which a link is provided in a first section of a webpage of the community;** as (see e.g., ¶ 0127 lines 18-28, ¶ 0128 lines 1-10 ¶ 0136 lines 1-5; and Figs. 4, 7 and 8A-2; as user clicks a link (e.g., an application of executable file for the application referred as the link program) to participate in a game play community).

**confirming whether the community visitor executes or terminates the game program,** as (see e.g., ¶¶ 0133 - 0134; as terminate the link or process if an invitation application is invalid) **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page in response to selection of the link on the webpage;** as (see e.g., Fig. 4: as clicking on any link in the user interface 3000). However, Harvey et al. does not explicitly disclose the feature of **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page.**

**receiving game data of the community visitor obtained in connection with the execution of the game program when the game program is terminated;** as (see e.g., ¶¶ 0134 - 0135 and 0138 lines 7-13; as receive the verified and validated invitation information of user as being invalid and terminated; and scores of the game).

**processing the game data of the community visitor as ranking data in the community so as to display at least part of the ranking data on the webpage; and**

Art Unit: 2165

as (see e.g., ¶¶ 0139 – 0140; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played); and (see e.g., ¶¶ 0110 and 0148, and Figs. 4-5; as the graphic user interface 3000). However, Harvey et al. does not explicitly disclose the feature of processing the game data as ranking data).

**storing the processed ranking data in the community** as (see e.g., ¶ 0126 lines 1-22 and ¶ 0140; as the virtual value is updated in the player's account which is set up as a member of a community, wherein updating the value referred as storing; but may not be specific to the feature of storing ranking data).

However, James and Sparks disclose the limitations which are not explicitly disclosed by Harvey et al. as the followings:

James discloses **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page**, as (see e.g., Abstract, and ¶ 0060: as the applications software package runs directly from the device without being uploaded or installed, wherein the applications software package is referred to as the game program or web-based game program running on the device.

Sparks discloses the features of:

processing the game data as ranking the data as generating the game player statistic for each player during and/or after game play (see e.g., Abstract and col. 1 lines 60-63), and ranking based on the player's statistic (see e.g., col. 3 lines 56-66).

Art Unit: 2165

storing ranking data as uploading and storing the statistic file included ranked data in the hard disk drive of the server (see e.g., col. 1 lines 63-65; and col. 3 line 56 to col. 4 line 3).

It would have been obvious to one of ordinary skill in the art at the time of invention to apply James teaching of stand-alone applications into Harvey et al. system in order to provide fully portable application functionality which may be tailored for use by a particular individual or for a particular task (James, ¶ 0001 lines 4-6). Furthermore, it would have been obvious to one of ordinary skill in the art at the time of invention to apply Sparks teaching of screening the players by means of personal game statistics into Harvey et al. and James systems in order to determine from the game play statistics the user's relative skill level for each one of the possible games to which the player could be matched. This determination is made by comparing the user's relative successes during previous attempts at playing each game (Sparks, col. 6 lines 47-51).

As per **claim 22**, Harvey et al. discloses **a method for processing game-linked data in a community established on a website, comprising:**

**by a community visitor, accessing the community and selecting a game program, of which a link is provided in a first section of a first webpage of the community;** as (see e.g., ¶ 0127 lines 18-28, ¶ 0128 lines 1-10 ¶ 0136 lines 1-5; and Figs. 4, 7 and 8A-2; as user clicks a link (e.g., an application of executable file for the application referred as the link program) to participate in a game play community).

**confirming whether the community visitor executes or terminates the game program**, as (see e.g., ¶¶ 0133 - 0134; as terminate the link or process if an invitation application is invalid) **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page in response to selection of the link on the webpage**; as (see e.g., Fig. 4: as clicking on any link in the user interface 3000). However, Harvey et al. does not explicitly disclose the feature of **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page**.

**receiving game data of the community visitor obtained in connection with the execution of the game program when the game program is terminated**; as (see e.g., ¶¶ 0134 - 0135 and 0138 lines 7-13; as receive the verified and validated invitation information of user as being invalid and terminated; and scores of the game played).

**processing the game data of the community visitor as ranking data in the community so as to display at least part of the ranking data in a second section of the webpage**; as (see e.g., ¶¶ 0139 – 0140; as amount of virtual value for a game is determined and accounted based on the score or gain/loss from the game played); and (see e.g., ¶¶ 0110 and 0148, and Figs. 4-5; as the graphic user interface 3000). However, Harvey et al. does not explicitly disclose the feature of processing the game data as ranking data).

**storing the processed ranking data in the community; and** as (see e.g., ¶ 0126 lines 1-22 and ¶ 0140; as the virtual value is updated in the player's account which

Art Unit: 2165

is set up as a member of a community, wherein updating the value referred as storing; but may not be specific to the feature of storing ranking data).

**updating the ranking data by repeating the confirming, receiving, and processing in response to the game program being executed** as (see e.g., ¶ 0126 lines 1-22 and ¶ 0140; as the virtual value is updated in the player's account which is set up as a member of a community; but may not be specific to the feature of updating ranking data).

However, James and Sparks disclose the limitations which are not explicitly disclosed by Harvey et al. as the followings:

James discloses **wherein the game program is loaded on a web browser page of the community without a separate installation process and executed on the web browser page**, as (see e.g., Abstract, and ¶ 0060: as the applications software package runs directly from the device without being uploaded or installed, wherein the applications software package is referred to as the game program or web-based game program running on the device.

Sparks discloses the features of:

processing the game data as ranking the data as generating the game player statistic for each player during and/or after game play (see e.g., Abstract and col. 1 lines 60-63), and ranking based on the player's statistic (see e.g., col. 3 lines 56-66).

storing ranking data as uploading and storing the statistic file included ranked data in the hard disk drive of the server (see e.g., col. 1 lines 63-65; and col. 3 line 56 to col. 4 line 3).

updating the ranking data as periodically uploading and storing the statistic file included ranked data in the hard disk drive of the server (see e.g., Abstract lines 6-9; col. 1 lines 60-65; and col. 3 line 56 to col. 4 line 3).

It would have been obvious to one of ordinary skill in the art at the time of invention to apply James teaching of stand-alone applications into Harvey et al. system in order to provide fully portable application functionality which may be tailored for use by a particular individual or for a particular task (James, ¶ 0001 lines 4-6). Furthermore, it would have been obvious to one of ordinary skill in the art at the time of invention to apply Sparks teaching of screening the players by means of personal game statistics into Harvey et al. and James systems in order to determine from the game play statistics the user's relative skill level for each one of the possible games to which the player could be matched. This determination is made by comparing the user's relative successes during previous attempts at playing each game (Sparks, col. 6 lines 47-51).

### ***Conclusion***

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2165

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

### ***Contact Information***

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bai D. Vu whose telephone number is (571)270-1751. The examiner can normally be reached on Mon - Fri 8:30 - 5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Neveen Abel-Jalil can be reached on 571-272-4074. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Art Unit: 2165

Customer Service Representative or access to the automated information system, call  
800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Bai D. Vu/

Primary Examiner, Art Unit 2165

5/18/2012